

CADDY[®]



Fixings, Fasteners and Supports

Featured Products



ERICO[®]

CADDY® MACROFIX 250 M8/M10



- EPDM rubber lining for sound insulation compliance with DIN 4109
- Fire rating E acc. to EN13501-1

Material: EPDM-SBR rubber, Steel

Finish: Electro-galvanized

Color: Black

Temperature: -50 to 110 °C

Part Number	Article Number	Outer Diameter OD	Pipe Size	NB/DN	Rod Size RS	Width W	Thickness T	Screw Diameter Sc	Screw Length L	Static Load F
MXD015	596460	12 – 15 mm	1/4"	8 mm	M8, M10	20 mm	1,5 mm	M6	20 mm	1 000 N
MXD019	596470	15 – 19 mm	3/8"	10 mm	M8, M10	20 mm	1,5 mm	M6	20 mm	1 000 N
MXD024	596480	20 – 24 mm	1/2"	15 mm	M8, M10	20 mm	1,5 mm	M6	20 mm	1 000 N
MXD030	596490	25 – 30 mm	3/4"	20 mm	M8, M10	20 mm	1,5 mm	M6	20 mm	1 000 N
MXD037	596500	32 – 37 mm	1"	25 mm	M8, M10	20 mm	1,5 mm	M6	20 mm	1 000 N
MXD045	596510	40 – 45 mm	1 1/4"	32 mm	M8, M10	20 mm	1,5 mm	M6	20 mm	1 000 N
MXD049	595859	44 – 49 mm	–	–	M8, M10	20 mm	2,0 mm	M6	20 mm	1 300 N
MXD053	595860	48 – 53 mm	1 1/2"	40 mm	M8, M10	20 mm	2,0 mm	M6	25 mm	1 300 N
MXD058	595870	54 – 58 mm	–	–	M8, M10	20 mm	2,0 mm	M6	25 mm	1 300 N
MXD063	595880	59 – 63 mm	2"	50 mm	M8, M10	20 mm	2,0 mm	M6	25 mm	1 300 N
MXD064	595885	62 – 64 mm	–	–	M8, M10	20 mm	2,0 mm	M6	25 mm	1 300 N
MXD073	596450	68 – 73 mm	–	–	M8, M10	20 mm	2,0 mm	M6	25 mm	1 300 N
MXD080	595890	75 – 80 mm	2 1/2"	65 mm	M8, M10	20 mm	2,0 mm	M6	25 mm	1 300 N
MXD086	595900	82 – 86 mm	–	–	M8, M10	20 mm	2,0 mm	M6	25 mm	1 300 N
MXD091	595910	89 – 91 mm	3"	80 mm	M8, M10	20 mm	2,0 mm	M6	25 mm	1 300 N
MXD103	595920	95 – 103 mm	–	–	M8, M10	23 mm	2,5 mm	M6	25 mm	1 300 N
MXD116	595930	108 – 116 mm	4"	100 mm	M8, M10	23 mm	2,5 mm	M8	25 mm	2 200 N
MXD127	595940	121 – 127 mm	–	–	M8, M10	23 mm	2,5 mm	M8	25 mm	2 200 N
MXD135	595980	129 – 135 mm	5"	125 mm	M8, M10	23 mm	2,5 mm	M8	25 mm	2 200 N
MXD141	595950	135 – 141 mm	–	–	M8, M10	23 mm	2,5 mm	M8	25 mm	2 200 N
MXD162	595960	159 – 162 mm	–	–	M8, M10	23 mm	2,5 mm	M8	25 mm	2 200 N
MXD168	595970	165 – 168 mm	6"	150 mm	M8, M10	23 mm	2,5 mm	M8	25 mm	2 200 N
MXD202	595971	198 – 202 mm	–	–	M8, M10	25 mm	3,0 mm	M8	25 mm	2 500 N
MXD215	595972	210 – 215 mm	–	–	M8, M10	25 mm	3,0 mm	M8	25 mm	2 500 N



Part Number	Article Number	Outer Diameter OD	Pipe Size	NB/DN	Rod Size RS	Width W	Thickness T	Screw Diameter Sc	Screw Length L	Static Load F
MXD220	595973	216 – 220 mm	8"	200 mm	M8, M10	25 mm	3,0 mm	M8	25 mm	2 500 N
MXD227	595990	220 – 227 mm	–	–	M8, M10	30 mm	3,0 mm	M8	25 mm	2 700 N
MXD254	595991	249 – 254 mm	–	–	M8, M10	30 mm	3,0 mm	M8	25 mm	2 700 N
MXD280	595992	274 – 280 mm	–	–	M8, M10	30 mm	3,0 mm	M8	25 mm	2 700 N
MXD319	595993	313 – 319 mm	–	–	M8, M10	30 mm	3,0 mm	M8	25 mm	2 700 N

Lining is EPDM rubber.

WARNING

ERICO products shall be installed and used only as indicated in ERICO's product instruction sheets and training materials. Instruction sheets are available at www.erico.com and from your ERICO customer service representative. Improper installation, misuse, misapplication or other failure to completely follow ERICO's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death.

Copyright © 2013 ERICO International Corporation. All rights reserved.

CADDY, CADWELD, CRITEC, ERICO, ERIFLEX, ERITECH, and LENTON are registered trademarks of ERICO International Corporation.